

STAINLESS STEEL PRODUCTS LTD



PRODUCT CATALOGUE

BAR & COFFEE SHOP CATALOG

2025



www.ssp.co.ke
[@sspl.ke](https://www.instagram.com/sspl.ke)

No.6 Shimo La Tewa Road
+254719625495

The background image shows the interior of a cafe or bar. On the left, a menu board is visible on the wall. In the foreground, there is a stainless steel counter with a wooden base. On the counter, there are some pastries and a small sign that says "COSTA COFFEE". The ceiling has exposed pipes and track lighting. A blue semi-transparent box is overlaid on the center of the image, containing the title and description text.

BAR & COFFEE SHOP EQUIPMENT

Specialized for brewing coffee, tea, and preparing quick snacks. Includes espresso machines, blenders, milkshake mixers, panini presses, waffle makers, ice machines, juice dispensers, and display units for pastries.



FIAMMA COFFEE MACHINE AUTOMATIC CARAVEL

Model: 2CV TC Black

Description: Automatic Machine, With Static Pre infusion Mechanic system that guarantees an even and gentle pre-infusion for a delicious coffee.

Dimensions (WDH): 665x563x530 mm

Water tap: 1

Steam tap: 2

Boiler capacity: 11 litre

Power: 3.8 kw

Power supply :220-230 V/400V-2N



COFFEE MACHINE MARINA RESTYLE – SEMI AUTOMATIC , SINGLE GROUP

Description: Automatic cleaning, pre-infusion

Water tap: 1

Power, voltage: 1.8 kW, 220-240V / 50-60 Hz

Dimensions: 375x530x485mm

Weight: 30.5 kg



FIAMA – COFFEE MACHINE CARAVEL 2 TC – SEMI AUTOMATIC 2 GROUP

Model: CARAVEL 2 TC

Description: Easy control of boiler temperature Semi-automatic manual coffee dosage Work area allows 14cm high cups and trays for smaller cups Water tap and 2 Steam wands

Dimensions: 665mmW x 563mmD x 530mmH / 59kg

Boiler capacity: 11L

Power 3.8kw / 220-230V / 400v - 2N / plug not supplied





FIAMA - COFFEE MACHINE COMPACT CARAVEL 2 TC - SEMI AUTOMATIC 2 GROUP

Description: Easy control of boiler temperature Semi-automatic manual coffee dosage Work area allows 14cm high cups and trays for smaller cups Water tap and 2 Steam wands

Dimensions: 475mmW x 563mmD x 530mmH / 59kg

Boiler capacity: 11L

Power: 3.8kw / 220-230V / 400v - 2N / plug not supplied



FIAMMA CARAVEL 3

Model: Caravel 3 CV

Description: Traditional single boiler system. Programmable drink and hot water portions and automatic cleaning program for the groups. Groups with static pre-infusion chamber.

Dimensions: 875x563x530mm

Weight: 76kg

Water boiler: 5.0 kW (18 l)

Power: 5.2 kW / ~220-240V / 400V~2N



COFFEE GRINDER

Model: MCF 50

Description: Doser grinder Manual doses

Grindstone diameter: 50 mm

Power: 150 W

Speed: 1400 rpm

Hopper capacity: 250 g

Portioner capacity: 180 g

Dose range: 7.0 - 10.5 g

Production: 1 Kg/24h

Voltage: ~220-230V / 50 Hz

Dimensions (WDH) 152x250x382 mm

Weight (kg) 5.2 Kg



COFFEE GRINDER

Model: MCF 65A

description: Doser grinder programmable doses

Automatic grindstone diameter: 65 mm

Power: 340 W

Speed 1400 rpm

Hopper capacity: 1.4 Kg

Portioner capacity: 300 g

Dose range: 5.5 - 8.5 g

Voltage ~220-230V / 50 Hz

Dimensions (WDH): 230x370x600 mm



COFFEE GRINDER AUTOMATIC

LD-900A coffee grinder



COFFEE PERCOLATOR

Description: Stainless steel Coffee

Percolator Size:

Voltage: 220V/50Hz

Power: 2000W

Capacity: 1.8L With 1pc coffee pot



WATER SOFTENER

8L Water softener Size:205*410mm

Capacity:8L

Working Temperature:4-15°C

Working Pressure:1-8BAR

Production capacity:1000L/H



MILK FROTHING JUG 350ML



MILK FROTHING JUG 600 ML



STAINLESS STEEL PRODUCTS LTD

COFFEE MACHINES



COFFEE TEMPER

58mm tamper





BLENDER 2 LTS 1500WATTS

Model: SSP-CB-L2

Blender Color: white

Power:1500W

Voltage:220V/50Hz

Capacity:2.0L



CANOPY TYPE ELECTRIC PROFESSIONAL BLENDER. 4L BLENDER

Model: KF-3180B

4L Blender with timer

Dimension: 260*230*550 mm

Jar Capacity: 4L

Power: 2.2K W

Speed:3000rpm

Color:Black

PC jar,304ss

Blades: pure copper

- Also come in a smaller model of 2.5L and model G8



HEAVT DUTY INDUSTRIAL BLENDER 2 LITS 2200 WATTS

Model: KF-C180.

2L Blender

Dimension:200*200*520mm

Jar Capacity:2L

Power: 2.2K W

Speed:3000rpm

N.W: 8.0KG/

G.W:9.5KG

Color:Black

PC jar,304ss Blades,pure copper



6.5 LITS HEAVY DUTY COMMERCIAL BLENDER

Model: KF-C180.

6.5L Blender

N.W: 8.5KG

Color: Black

PC jar: 304ss

Blades: pure copper



IMMERSION BLENDER 350W WITH WISK

Model no: IB350CV+BLD400+WIK250

Power: 350W

Speed: 4000-16000 rpm

Stick Length: 400mm With whisk for
(250mm)



IMMERSION BLENDER 500W

Model no: IB500LV+BLD500

Power: 500W

Speed: 4000-16000

Stick Length: 500mm



IMMERSION BLENDER 500W

Model no: IB750LV+B LD500

Power: 750W

RPM: 8000 - 20000.

Stick Length: 500mm



EXTRA JUG FOR BLENDER 2 LITS MODEL

Model no: SSP-CB L2

G.W:9.5KG



MILK SHAKE MIXER DOUBLE

Model: ASBL-018

Dimension: 330*160*500 mm

Power: 600W

Net Weight: 6KG

Stainless steel cup: 0.9L



MILK SHAKE MIXER SINGLE

Dimension: 240*225*520 mm



TEA URN 10 LITS

Size: 205*205*390mm
Inner size: 190*190*250mm
Material: SUS304
Net volume: 7.1L
Power: 1800w
Temperature: 30-110°C
Voltage: 220V/50HZ



TEA URN 20 LITS

Dimension: 260*370 mm
Capacity: 20L
Voltage: 220V/50Hz



TEA URN 30 LITS

Dimension: 280*370 mm
Capacity: 30L
Voltage: 220V/50Hz



ICE CRUSHER

Model : SSP-IC-01

Type: Automatic, Double cut

Size: 400*180*310mm

Power: 380W

Capacity: 65kg/h

Rotor speed: 220rpm

Material: ABS + Aluminum

Voltage: 220V/50HZ



ICE MAKING MACHINES

type: Stainless Steel Commercial Ice Cube Machine

Capacity: 45KG

Size: 405*450*750mm

Capacity: 45kg/day

Ice storage: 12kg

Power: 320W

Voltage: 220V/50HZ



ICE MAKING MACHINE

Type: Stainless Steel Commercial Ice Cube Machine

Capacity: 80KG

Size: 510*590*820mm

Capacity: 80kg/day

Ice storage: 15kg

Power: 510W

Voltage: 220V/50HZ



PANINI PRESS- SINGLE LARGE

Model: 811E

Type: Panini griddle

Dimension: 430*380*240 mm

Voltage: 220V 50hz

Power: 2.2 kw

Upper size: 338*220 mm

Bottom size: 340*230 mm

N.W: 20 kg



PANINI PRESS DOUBLE

Model: 813

Type: Panini griddle

Dimension 570*380*240 mm

Voltage: 220V 50hz

HP: 3.6 kw

Weight: 28 kg

Upper size: 214*214 mm

Bottom size: 475*230 mm





WAFFLE MAKING MACHINE SINGLE

Model: FY-1

Packing size: 430*305*295 mm

Dimension: 390*250*260 mm

Power: 1300W

Plate size: 180 mm

Tooth depth: 8 mm

Temp range: 50-250 °C



WAFFLE MAKING MACHINE DOUBLE

Mode: FY-2

Dimension: 500*380*360 mm

Power: 1250W+1250W

Voltage: 220V 50hz

Plate size: 185 mm

Tooth depth: 8 mm

Temp range: 50-250 °C



SQUARE TYPE DOUBLE WAFFLE MAKER - DEEP

Mode: MM-2206D

Dimension: Double Plates Waffle Baker

Dimension: 560x350x260 mm

Voltage: 220V/50Hz/single phase

Power: 1.6+1.6 KW

Temperature: 50~300°C



SINGLE PLATE CONE MAKER

Model: KF-1D

Description: Single Plate Cone Baker

Dimension: 250*270*300mm

Voltage: 220 V/50HZ/Single phase

Power: 1 KW

Temperature: 50~300°C



STAINLESS STEEL HEAVY DUTY 4 SLICE TOASTER

Description: 4 Slice Electric Toaster with timer, 4 slice of bread can be cooked at the same time

Dimension: 315×270×220 mm

Voltage: 220V/50Hz

Power: 1.8KW

Material: All stainless steel



STAINLESS STEEL HEAVY DUTY 6 SLICE TOASTER

Model: LD6SD-A

Description 6 Slice Electric Toaster with timer, 6 slice of bread can be cooked at the same time.

Dimension: 410×270×220mm

Voltage: 220V/50Hz Power 2.5KW

Material : All stainless steel



CONVEYOR TOASTER 300 SLICES PER HOUR

Description: Electric Conveyor Toaster

Size: 368*418*387mm

Voltage: 220~240V/50Hz

Power: 1.94kW



JUICE DISPENSER 3 STATION 3 X18 LITS

Model no ACL-LYJ18Lx3

Description: Three Tank Juice Dispenser

Capacity : 18Lx3

Cool Temperature: 7~12°C

Hot Temperature: 52~58°C 220V 50Hz/60Hz

Power:350W (cool), 1500W(hot)

Packing Size:750*470*740mm

G.W/N.W: 42KG/39KG



JUICE EXTRACTOR

Model: ASZX-6

Description: Juice Extractor

Dimension: 430x320x380mm

Power, voltage: 370W, 220V/50Hz

Disc Diameter: 124mm

N.W: 11KG



BACK BAR FRIDGE / BOTTLE COOLER 2 DOOR

Description: 2 door bar cooler Fan-assisted cooling system

Size: 900×505×895mm -black coated plate

Temperature: 2-8°C -digital controller

Voltage: 220V/50HZ



BACK BAR FRIDGE / BOTTLE COOLER 3 DOOR

Description: 3 door bar cooler Fan-assisted cooling system

Size: 1335×505×895mm black coated plate

Temperature: 2-8°C digital controller

Voltage: 220V/50HZ



TABLETOP CAKE SHOWCASE

Size: 900*580*730mm

Base stainless steel

- Digital controller



CAKE DISPLAY UNIT FREE STANDING

Type: Straight type

Base: marble

Temperature: 8~2°C

- Digital controller
- Fan cooling system
- Front glass with heating wire

Comes in these sizes:

- 900*670*1200mm
- 1200*670*1200mm
- 1500*670*1200mm
- 1200*670*1400mm



UPRIGHT CAKE DISPLAY

Description: Upright Cake Display

Size: 900*720*1900mm

Base: SS201

Temperature: 8~2°C

Voltage: 220V/50HZ

- Digital controller
- Fan cooling system
- Scoop compressor



ELECTRIC STAINLESS STEEL WARMING SHOWCASE

Description: Electric Stainless steel warming showcase

Size: 600x490x615mm, 900x490x615mm

Voltage / power: 220V/50Hz/1.84KW

Temperature: 50-85 °C

- 2 Good display effect
- Curved
- Glass Warming Showcase



TABLE TOP HEATED DISPLAY UNIT

Type: Straight type

Size: 900*580*730mm

Base: stainless steel

Temperature: 30~70°C

Voltage: 220V/50HZ

- Digital controller



MULTIFUNCTIONAL STORAGE RACK

Multifunctional storage rack



INSECTOCUTER

Type: Electric shock type -LED-10W
Size: L56*D6*H24.5cm



STAINLESS STEEL PRODUCTS LTD

CONTACT US

www.ssp.co.ke
@sspl.ke

+254719625495
info@ssp.co.ke