STAINLESS STEEL PRODUCTS LTD

PRODUCT CATALOGUE

KITCHEN EQUIPMENT CATALOG

2025

www.ssp.co.ke
@sspl.ke

No.6 Shimo La Tewa Road
+254719625495

BAR & COFFEE SHOP EQUIPMENT

Specialized for brewing coffee, tea, and preparing quick snacks. Includes espresso machines, blenders, milkshake mixers, panini presses, waffle makers, ice machines, juice dispensers, and display units for pastries.

COFFEE MACHINES

FIAMMA COFFEE MACHINE AUTOMATIC CARAVEL

Model: 2CV TC Black
Description: Automatic Machine, With Static Pre infusion Mechanic system that guarantees an even and gentle pre-infusion for a delicious coffee.
Dimensions (WDH): 665x563x530 mm
Water tap: 1
Steam tap: 2
Boiler capacity: 11 litre
Power: 3.8 kw
Power supply :220-230 V/400V-2N

COFFEE MACHINE MARINA RESTYLE - SEMI AUTOMATIC , SINGLE GROUP

Description: Automatic cleaning, pre-infusion
Water tap: 1
Power, voltage: 1.8 kW, 220-240V / 50-60 Hz
Dimensions: 375x530x485mm
Weight: 30.5 kg

FIAMA - COFFEE MACHINE CARAVEL 2 TC - SEMI AUTOMATIC 2 GROUP

Model: CARAVEL 2 TC
Description: Easy control of boiler temperature Semi-automatic manual coffee dosage Work area allows 14cm high cups and trays for smaller cups Water tap and 2 Steam wands
Dimensions: 665mmW x 563mmD x 530mmH / 59kg
Boiler capacity: 11L
Power 3.8kw / 220-230V / 400v - 2N / plug not supplied

COFFEE MACHINES

FIAMA - COFFEE MACHINE COMPACT CARAVEL 2 TC - SEMI AUTOMATIC 2 GROUP

Description: Easy control of boiler temperature Semi-automatic manual coffee dosage Work area allows 14cm high cups and trays for smaller cups Water tap and 2 Steam wands
Dimensions: 475mmW x 563mmD x 530mmH / 59kg
Boiler capacity: 11L
Power: 3.8kw / 220-230V / 400v - 2N / plug not supplied

FIAMMA CARAVEL 3

Model: Caravel 3 CV
Description: Traditional single boiler system. Programmable drink and hot water portions and automatic cleaning program for the groups. Groups with static pre-infusion chamber.
Dimensions: 875x563x530mm
Weight: 76kg
Water boiler: 5.0 kW (18 l)
Power: 5.2 kW / ~220-240V / 400V~2N

COFFEE GRINDER

Model: MCF 50
Description: Doser grinder Manual doses
Grindstone diameter: 50 mm
Power: 150 W
Speed: 1400 rpm
Hopper capacity: 250 g
Portioner capacity:180 g
Dose range; 7.0 - 10.5 g
Production: 1 Kg/24h
Voltage: ~220-230V / 50 Hz
Dimensions (WDH) 152x250x382 mm
Weight (kg) 5.2 Kg

COFFEE MACHINES

COFFEE GRINDER

Model: MCF 65A

description: Doser grinder programmable doses
Automatic grindstone diameter: 65 mm
Power: 340 W
Speed 1400 rpm
Hopper capacity: 1.4 Kg
Portioner capacity: 300 g
Dose range: 5.5 - 8.5 g
Voltage ~220-230V / 50 Hz
Dimensions (WDH): 230x370x600 mm

COFFEE GRINDER AUTOMATIC

LD-900A coffee grinder

COFFEE PERCULATOR

Description: Stainless steel Coffee Percolator Size:
Voltage: 220V/50Hz
Power: 2000W
Capacity:1.8L With 1pc coffee pot

COFFEE MACHINES

WATER SOFTENER

8L Water softener Size:205*410mm
Capacity:8L
Working Temperature:4-15°C
Working Pressure:1-88AR
Production capacity:1000L/H

MILK FROTHING JUG 350ML

MILK FROTHING JUG 600 ML

COFFEE TEMPER

58mm tamper

BLENDERS

BLENDER 2 LTS 1500WATTS

Model: SSP-CB-L2
Blender Color: white
Power:1500W
Voltage:220V/50Hz
Capacity:2.0L

CANOPY TYPE ELECTRIC PROFESSIONAL BLENDER. 4L BLENDER

Model: KF-3180B
4L Blender with timer
Dimension: 260*230*550 mm
Jar Capacity: 4L
Power: 2.2K W
Speed:3000rpm
Color:Black
PC jar,304ss
Blades: pure copper

- Also come in a smaller model of 2.5L and model G8

HEAVT DUTY INDUSTRIAL BLENDER 2 LITS 2200 WATTS

Model: KF-C180.
2L Blender
Dimension:200*200*520mm
Jar Capacity:2L
Power: 2.2K W
Speed:3000rpm
N.W: 8.0KG/
G.W:9.5KG
Color:Black
PC jar,304ss Blades,pure copper

BLENDERS

6.5 LITS HEAV DUTY COMMERCIAL BLENDER

Model: KF-C180.
6.5L Blender
N.W: 8.5KG
Color: Black
PC jar: 304ss
Blades: pure copper

IMMERSION BLENDER 350W WITH WISK

Model no: IB350CV+BLD400+WIK250
Power: 350W
Speed: 4000-16000 rpm
Stick Length: 400mm With wisk for (250mm)

IMMERSION BLENDER 500W

Model no: IB500LV+BLD500
Power: 500W
Speed: 4000-16000
Stick Length: 500mm

IMMERSION BLENDER 500W

Model no: IB750LV+B LD500
Power: 750W
RPM: 8000 - 20000.
Stick Length: 500mm

EXTRA JUG FOR BLENDER 2 LITS MODEL

Model no: SSP-CB L2
G.W:9.5KG

MILKSHAKE MIXERS

MILK SHAKE MIXER DOUBLE

Model: ASBL-018
Dimension: 330*160*500 mm
Power: 600W
Net Weight: 6KG
Stainless steel cup: 0.9L

MILK SHAKE MIXER SINGLE

Dimension: 240*225*520 mm

TEA URNS

TEA URN 10 LITS

Size: 205*205*390mm
Inner size: 190*190*250mm
Material: SUS304
Net volume: 7.1L
Power: 1800w
Temperature: 30-110°C
Voltage: 220V/50HZ

TEA URN 20 LITS

Dimension: 260*370 mm
Capacity: 20L
Voltage: 220V/50Hz

TEA URN 30 LITS

Dimension: 280*370 mm
Capacity: 30L
Voltage: 220V/50Hz

ICE MACHINES

ICE CRUSHER

Model : SSP-IC-01
Type: Automatic, Double cut
Size: 400*180*310mm
Power: 380W
Capacity: 65kg/h
Rotor speed: 220rpm
Material: ABS + Aluminum
Voltage: 220V/50HZ

ICE MAKING MACHINES

type: Stainless Steel Commercial Ice Cube Machine
Capacity: 45KG
Size: 405*450*750mm
Capacity: 45kg/day
Ice storage: 12kg
Power: 320W
Voltage: 220V/50HZ

ICE MAKING MACHINE

Type: Stainless Steel Commercial Ice Cube Machine
Capacity: 80KG
Size: 510*590*820mm
Capacity: 80kg/day
Ice storage: 15kg
Power: 510W
Voltage: 220V/50HZ

ICE MACHINES

TABLE TOP SOFT ICE CREAM MACHINE

Model: ASMQ-L20ABN
Description: Table Top Stainless Steel 3 Head Soft Ice Cream Machine
Dimension: 544*710*850 mm
Voltage :220V/50Hz
Power: 1900W
Refrigerant: R22
Yield: 20L/H
N.W: 88KG

ICE CREAM FRIDGE

Perfect for display of ice cream at point of sale, automatic defrost. Temperature range -20*C to -15*C with high quality digital temperature controller. Heated front window to prevent condensation build up

- **Dimensions**: 1200 x 540 x 790mm
- **Capacity**: 5 x 5Lt pans
- **Weight**: 115kg

PANINI PRESS

PANINI PRESS- SINGLE LARGE

Model: 811E
Type: Panini griddle
Dimension: 430*380*240 mm
Voltage: 220V 50hz
Power: 2.2 kw
Upper size: 338*220 mm
Bottom size: 340*230 mm
N.W: 20 kg

PANINI PRESS DOUBLE

Model: 813
Type: Panini griddle
Dimension 570*380*240 mm
Voltage: 220V 50hz
HP: 3.6 kw
Weight: 28 kg
Upper size: 214*214 mm
Bottom size: 475*230 mm

WAFFLE MAKERS

WAFFLE MAKING MACHINE SINGLE

Model: FY-1
Packing size: 430*305*295 mm
Dimension: 390*250*260 mm
Power: 1300W
Plate size: 180 mm
Tooth depth: 8 mm
Temp range: 50-250 °C

WAFFLE MAKING MACHINE DOUBLE

Mode: FY-2
Dimension: 500*380*360 mm
Power: 1250W+1250W
Voltage: 220V 50hz
Plate size: 185 mm
Tooth depth: 8 mm
Temp range: 50-250 °C

SQUARE TYPE DOUBLE WAFFLE MAKER - DEEP

Mode: MM-2206D
Dimension: Double Plates Waffle Baker
Dimension: 560x350x260 mm
Voltage: 220V/50Hz/single phase
Power: 1.6+1.6 KW
Temperature: 50~300°C

WAFFLE MAKERS

SINGLE PLATE CONE MAKER

Model: KF-1D

Description: Single Plate Cone Baker
Dimension: 250*270*300mm
Voltage: 220 V/50HZ/Single phase
Power: 1 KW
Temperature: 50~300℃

TOASTERS

STAINLESS STEEL HEAVY DUTY 4 SLICE TOASTER

Description: 4 Slice Electric Toaster with timer,4 slice of bread can be cooked at the same time
Dimension: 315×270×220 mm
Voltage: 220V/50Hz
Power: 1.8KW
Material: All stainless steel

STAINLESS STEEL HEAVY DUTY 6 SLICE TOASTER

Model: LD6SD-A
Description 6 Slice Electric Toaster with timer,6 slice of bread can be cooked at the same time.
Dimension: 410×270×220mm
Voltage: 220V/50Hz Power 2.5KW
Material : All stainless steel

CONVEYOR TOASTER 300 SLICES PER HOUR

Description: Electric Conveyor Toaster
Size: 368*418*387mm
Voltage: 220~240V/50Hz
Power: 1.94kW

JUICE DISPENSER 3 STATION 3 X18 LITS

Model no ACL-LYJ18Lx3
Description: Three Tank Juice Dispenser
Capacity : 18Lx3
Cool Temperature: 7~12°C
Hot Temperature: 52~58°C 220V 50Hz/60Hz
Power:350W (cool), 1500W(hot)
Packing Size:750*470*740mm
G.W/N.W: 42KG/39KG

JUICE EXTRACTOR

Model: ASZX-6
Description: Juice Extractor
Dimension: 430x320x380mm
Power, voltage: 370W, 220V/50Hz
Disc Diameter: 124mm
N.W: 11KG

REFREGIRATORS

BACK BAR FRIDGE / BOTTLE COOLER 2 DOOR

Description: 2 door bar cooler Fan-assisted cooling system
Size: 900×505×895mm -black coated plate
Temperature: 2-8°C -digital controller
Voltage: 220V/50HZ

BACK BAR FRIDGE / BOTTLE COOLER 3 DOOR

Description: 3 door bar cooler Fan-assisted cooling system
Size: 1335×505×895mm black coated plate
Temperature: 2-8°C digital controller
Voltage: 220V/50HZ

DISPLAYS UNITS

TABLETOP CAKE SHOWCASE

Size: 900*580*730mm
Base stainless steel

- Digital controller

CAKE DISPLAY UNIT FREE STANDING

Type: Straight type
Base: marble
Temperature: 8~2°C

- Digital controller
- Fan cooling system
- Front glass with heating wire

Comes in these sizes:

- 900*670*1200mm
- 1200*670*1200mm
- 1500*670*1200mm
- 1200*670*1400mm

UPRIGHT CAKE DISPLAY

Description: Upright Cake Display
Size: 900*720*1900mm
Base: SS201
Temperature: 8~2°C
Voltage: 220V/50HZ

- Digital controller
- Fan cooling system
- Scoop compressor

ELECTRIC STAINLESS STEEL WARMING SHOWCASE

Description: Electric Stainless steel warming showcase
Size: 600x490x615mm, 900x490x615mm
Voltage / power: 220V/50Hz/1.84KW
Temperature: 50-85 °C

- 2 Good display effect
- Curved
- Glass Warming Showcase

TABLE TOP HEATED DISPLAY UNIT

Type: Straight type
Size: 900*580*730mm
Base: stainless steel
Temperature: 30~70°C
Voltage: 220V/50HZ

- Digital controller

MULTIFUNCTIONAL STORAGE RACK

Multifunctional storage rack

INSECTOCUTER

Type: Electric shock type -LED-10W
Size: L56*D6*H24.5cm



BAKERY EQUIPMENT

Designed for mixing, proofing, and baking bread, cakes, and pastries. Features ovens, mixers, bread slicers, crepe makers, refrigerators, display units, and essential baking trays and pans.

1 DECK ELECTRIC OVEN

Model: SSP-DO--120
Description: Electric Deck Oven,1 Deck 2 trays Machine
Size: 1230*1035*550mm
Inner size: 870*635*230mm
Pan size: 600*400mm
Power, voltage: 6.6kW, 380~415V/50Hz
Material: 201SS 0.6mm thickness for oven front

PIZZA OVEN 1 DECK ELECTRIC OVEN

Model: SSP-DO--120p
Description: Electric Deck Pizza Oven 1 Deck 2 Trays machine
Size: 1230*1035*550mm
Inner size: 870*635*230mm
Pan size: 600*400mm
Power, voltage: 6.6kW, 380~415V/50Hz
Material: 201SS 0.6mm thickness for oven front

2 DECK ELECTRIC OVEN

Model: SSP-DO--240
Electric Deck Oven 2 Deck 4 Trays Electric Deck Oven
Machine size: 1260*805*1100 mm
Chamber size: 860*670*220 mm
Temperature: 20-400℃
Volt: 380~415V/three phase/13.2 KW /50 Hz

3 DECK ELECTRIC OVEN

Model: SSP-DO-360
Description: Classical 3 Deck 6 Trays Electric Deck Oven
Machine size: 1260*805*1515mm
Chamber size: 860*670*220mm
Temperature: 20-400°C
Voltage: 380 V/three phase/19.8KW /50 Hz

3 DECK ELECTRIC OVEN 1700MM WIDE

Model: SSP-DO-3120
Description: Classical 3 Deck 12 Trays
Machine size: 1700*1055*1515 mm
Chamber size: 1300*925*220 mm
Voltage: 380V/three phase/38KW/50Hz
Temperature: 20-400°C

ELECTRIC 4 TRAY CONVECTION OVEN WITH THE HUMIDIFIER

Description: Perspective Electric Convection Oven
Dimension: 595*530*570 mm
Voltage: 220 V/2.6 KW
N.W: 39 KG
Inner size: 46*38*36 cm
Pan size: 43.5*31 cm

- Hot Air Circulation Function
- Time Control Function
- Upper heating function
- Spray Function

CONVEYOR PIZZA OVEN HEP-18

Description: Conveyor Pizza Oven
Dimensions (in mm): 1560x750x850
Belt Size (mm) : 457
Work Station Dimensions (mm): 500x1450mm
Voltage: 380V / 50-60 Hz (3-Phase)

ELECTRIC 6 TRAY CONVECTION OVEN WITH THE HUMIDIFIER

Model: WGB-8A
Description: Perspective Electric Convection Oven
Dimension: 835*770*575mm
Voltage: 220~240V/5.8kw/single phase/50Hz N.W 38 KG
Pan size: 40*60cm (Including 4 pans)
Temperature: 50-300°C
Hot Air Circulation Function
Time Control Function
Upper Heating Function
Spray Function
Imported Fan

CHICKEN ROASTER 4 TRAYS / ELECTRIC CHICKEN ROTISSERIE

Model: B-266
Dimension:1010*630*800m m
Power:6KW Single phase
Capacity:12-16 pieces chicken

- One temperature controller from 50-300 degree. (6 heaters)
- One inching switch, revolving switch and light switch

STAINLESS STEEL PROOFER 16 TRAYS

Model:SH-16C
Description: 16Trays Classical Proofer With Automatic Water inlet Function
Size:500*700*1880mm
Voltage:220V/50Hz
Power:2.6kW
Capacity:16Trays Suitable tray
Size:400*600mm Without Trays

STAINLESS STEEL PROOFER 32 TRAYS

Model:SH-16C
Description: 32 Trays Classical Proofer With Automatic Water inlet Function
Size:500*1400*1880mm
Voltage:220V/50Hz
Power:2.6kW
Capacity:32Trays Suitable tray
Size:400*600mm Without Trays x 2

PIZZA MACHINES

PIZZA STONE

Size size:638*430*15mm

PIZZA PRESS

32(Pressure): 320KG
The mold Diameter: 22cm

PIZZA BASE ROLLING MACHINE

Model: WG-PD40 pizza
Diameter: 10-40cm
Dough weight: 50~500g
Voltage: 220V 370W
Size: 540*550*650mm

NN-ST65JM COMMERCIAL MICROWAVE MACHINE – 32 LITS

Model: NN-ST65JM

Description: Commercial Microwave Machine

Brand: Panasonic

Size: 310*525*388mm

Inner size: 245*345*355mm

Power: 1000w

Volume: 32L

Voltage: 220-240V/50HZ

Plate diameter: 340mm

LOW DUTY MICROWAVE OVEN - 25 LITS

Description: Low Duty Microwave Oven

Capacity: 25 litres

- 900w microwave, 1000w grill
- LED display with buttons & dial controls
- Clock display function
- Black with a glass mirror finish

MIXERS

CAKE MIXER 7 LITS

Description: 7L Cake Mixer without cover
Size:430*300*500mm
Voltage:220V/50Hz/Single phase
Power:350W
Capacity:7L With 1x Hook, 1x beater,1x wire whisk

B20 PLANETARY MIXERS / FOOD MIXERS – 20 LITS

Model: WG-B20
Description: 20L Planetary Food Mixer with safety guard
Dimension: 770x500x410mm
Bowl capacity : 20L
Voltage: 220V/ 50Hz /Single Phase/1.1 KW
Max dough mixing: 4 KG
Mixing speed: 105/180/408 r/min
Gear Drive

B30 PLANETARY MIXERS / FOOD MIXERS – 30 LITS

Model: WG-B30
Description: 30L Full Belt Food Mixer With Safety Guard
Bowl capacity:30L
Dim:650*520*1000mm
Voltage:220V/single phase/50HZ/1.5kw
Max dough mixing:4KG
Full belt,with safety cover
G.W:78 KGS

DOUGH MIXER 16KG/45L DOUGH MIXER WITH TIMER

Description: 16kg/45L Dough Mixer With timer
Dimension: 700x530x800mm
Hook speed: 213/153r/m
Bowl speed: 20/13r/m
Max dough mixing : 16kg
Voltage: 220V/380V,50Hz,2500W
N.W.: 110KG

REFREGIRATORS

STAINLESS STEEL UNDER COUNTER FRIDGE WITH GLASS DOOR

Model no SSP-UC-712

- Size: 1200*700*800mm,
- Size: 1500*700*800mm,
- Size: 1800*700*800mm

- Internal capacity: 7 Cubic ft (200Lits)SS
- Internal capacity 9 Cubic Ft (260Lits)SS
- Internal capacity 12 Cubic Ft (340Lits) SS

Material" SUS201
Temperature: 10~-5°C
Voltage: 220V/50HZ

- With glass door
- Digital controller
- Self-closing door

STAINLESS STEEL UNDER COUNTER FRIDGE WITH STAINLESS STEEL DOOR

- Size: 1200*700*800mm,
- Size: 1500*700*800mm

- Internal capacity: 7 Cubic ft (200Lits)SS
- Internal capacity: 9 Cubic Ft (260Lits)SS

Material: SUS201
Cooling temperature: 10~-5°C
Voltage: 220V/50HZ

- Digital controller
- Self-closing door Static
- With Stainless Steel door

STAINLESS STEEL SINGLE DOOR REACH-IN REFRIGERATOR FAN ASSISTED

Size :620*760*1970M, 620*760*1970MM SS
Material: SUS201
Temperature: 10~-5°C
Voltage: 220V/50HZ
With glass door
Self-closing door
Digital controller

GASTRONOM PANS

Steam PanFull: x150 SIZE: 530×325×150mm 1/1
Steam PanFull: x100 GN Full x100
Steam PanFull: x65 GN Full x65
Steam PanFull: Xlid GN Full xLID
Steam Pan: 1/2 x150 GN 1/2 x150
Steam Pan: 1/2 x100 GN 1/2 x100
Steam Pan: 1/2 x65 GN 1/2 x65
Steam Pan: 1/2 xLID GN 1/2 xLID
Steam Pan: 1/3 x150 Gastronom pans Size:325×176×150mm 1/3
Steam Pan: 1/3 x100 Gastronom pans Size:325×176×100mm 1/3
Steam Pan: 1/3 x65 Gastronom pans Size:325×176×65mm 1/3
Steam Pan: 1/3 xLID Gastronom pans Cover Size:325×176mm 1/3
Steam Pan: 1/4 x100 Gastronom pans Size:325×176×100mm

ALUMINUM OVEN TRAY

Size: 400x600x30mm

DISPLAYS UNITS

TABLETOP CAKE SHOWCASE

Size: 900*580*730mm
Base stainless steel

- Digital controller

CAKE DISPLAY UNIT FREE STANDING

Type: Straight type
Base: marble
Temperature: 8~2°C

- Digital controller
- Fan cooling system
- Front glass with heating wire

Comes in these sizes:

- 900*670*1200mm
- 1200*670*1200mm
- 1500*670*1200mm
- 1200*670*1400mm

UPRIGHT CAKE DISPLAY

Description: Upright Cake Display
Size: 900*720*1900mm
Base: SS201
Temperature: 8~2°C
Voltage: 220V/50HZ

- Digital controller
- Fan cooling system
- Scoop compressor

DISPLAYS UNITS

STAINLESS STEEL REFREGERATED SALAD / PIZZA TOPPING COUNTERS

Size: 1130 x 404 x450mm With 4 GN Containers of 1/3GN

Size: 1480x404×450mm With 6 GN Containers of 1/3GN

Size: 1830x404×451mm With 8 GN Containers of 1/3GN

FREE STANDING HEATED SHOWCASE

Type: Straight type
Size: 900*670*1200mm
Base: marble
Temperature: 30~70°C -Digital controller
Voltage: 220V/50HZ

STAINLESS STEEL HEATED DISPLAY CABINET

Model: AR60-1
Description: Electric Stainless steel warming showcase
Size: 660x490x615mm
Voltage /power: 220V/50Hz/1.84KW
Temperature: 50-85 °C

- Good display effect, Curved Glass showcase
- Temperature controller from 50-85 °C
- There are three layers to display and four sides with glass

CREPE MAKER

Model: ASZH-1E
Description: Stainless steel Electric Crepe Maker, Teflon coating and non-stick material.
Power: 3KW
Dimension: 460*475*230 mm
Voltage: 220V/50Hz
Temperature controller: 50 to 300°C
Cooking plate diameter: 400 mm
N.W 16.5kg

PLATE WARMER DROP IN PLATE DISPENSER

Size: 400*400*770mm SS
Material: SUS201
Power: 400w
Plate size: 23-30cm
Plate quantity: 50 pcs
Top open diameter: 385mm
Voltage: 220V

BREAD SLICER

Model: WG-Q31
Description: 31 Pcs Bread Slicer
Machine size: 515*625*585 mm
Voltage: 220V /50HZ 250W
Blade Quantity: 31 pcs
Bread thickness: 12 mm
Max bread: 380mm

STAINLESS STEEL FINISH WIRE RACK / COOLING RACKS

Description: 4 Layers Chrome Wire Shelves
Material Finish: Chrome Plated
Wire diameter: 5.8/4.3/2.8 mm
Wire spacing: 17 mm
Column: 25.4*1.0m

- Without Wheels
- Size: 1200x530x1800mm
- Size: 1500x530x1800mm



BAR MAT BLACK

Bar Mat Black
Color: Black
Material: PVC

Size: 45*30*1cm
Size: 60*8*1cm

RESTAURANT EQUIPMENT

Built for high-volume cooking and food preparation. Includes fryers, grills, ovens, meat and vegetable machines, shawarma machines, potato processors, soup tureens, ice cream machines, commercial refrigerators, and display units for ready-to-serve meals.

HOT MAX 900 GAS | GR921

Dimension: 850x900x900
Gross (kg) / (m³): 112 / 0.97
Total Power (W): 4×8000
Gas Consumption (LPG): 2.51 kg/h
Description: Gas • On open stand
Body, paneling made of stainless steel. Operable with LP or natural gas. Burners with pilot, safety valve and thermocouple. If the flame goes out, gas is cut off.

HOT MAX 900 GAS | GR911

Dimension: 425x900x900
Gross (kg) / (m³): 67 / 0.51
Total Power (W): 2×8000
Gas Consumption (LPG): 1.26 kg/h
Description: Gas • On open stand
Body, paneling made of stainless steel. Operable with LP or natural gas. Burners with pilot, safety valve and thermocouple. If the flame goes out, gas is cut off.

HOT MAX 900 GAS | GR922E

Dimension: 850x900x900
Gross (kg) / (m³): 158 / 0.97
Total Power (W): 4×8000 6000
Gas Consumption (LPG): 2.51 kg/h
Description: Gas • on 2/1 GN Electric oven • 4 burners Without tray and container Body, paneling made of stainless steel. LP or natural gas. Burners with pilot, safety valve and thermocouple. Controlled by thermostats against overheating. The oven with two fans.

HOT MAX 900 GAS | GR922P

Dimension: 850x900x900
Gross (kg) / (m³): 180 / 0.97
Total Power (W): 14000 7500
Gas Consumption (LPG): 1.69 kg/h
Description: Gas • on 2/1 GN gas oven Without tray and container Body, paneling made of stainless steel.
LP or natural gas. Burners with pilot, safety valve and hermocouple. Oven burner with ignition, pilot, thermocouple and thermostat. If the flame goes out, gas are cutted off.
Each gas burner provides heat economy, operating independently from each other.

HOT MAX 900 GAS | GR931

Dimension: 1275x900x900
Gross (kg) / (m³): 159 / 1.44
Total Power (W): 6×8000
Gas Consumption (LPG): 3.77 kg/h
Description: Gas • On open stand Body, paneling made of stainless steel. Operable with LP or natural gas. Burners with pilot, safety valve and thermocouple. If the flame goes out, gas is cut off.

HOT MAX 900 GAS | GR932

Dimension: 1275x900x900
Gross (kg) / (m³): 203 / 1.44
Total Power (W): 6×8000 7500
Gas Consumption (LPG): 4.35 kg/h
Description: Gas • On 2/1 GN gas oven • 6 burners Without tray and container GR922K+GR911 Body, paneling made of stainless steel. LP or natural gas. Burners with pilot, safety valve and thermocouple. Oven burner with ignition, pilot, thermocouple and thermostat. If the flame goes out, gas is cut off. Each gas burner provides heat economy, operating independently from each other.

HOTMAX 900 GG911G - FRY TOP

Dimension: 425x900x900
Gross (kg) / (m³): 75 / 0.51
Total Power (W): 7500
Gas Consumption (LPG): 0.59 kg/h
Description: Gas • Grooved surface Mirror finishing • Chrome coated Body, paneling made of stainless steel.
Operable with LP or natural gas. Controlled by thermostat. Burner with ignition, pilot, thermocouple and thermostat.
If the flame goes out, gas is cut off.
Removable fat container.

HOTMAX 900 GG921G - FRY TOP

Dimension: 850x900x900
Gross (kg) / (m³): 145 / 0.97
Total Power (W): 2×7500
Gas Consumption (LPG): 1.18 kg/h
Description: Gas • Grooved surface Mirror finishing • Chrome coated Body, panelling made of stainless steel.
Operable with LP or natural gas. Controlled by thermostat. Burner with ignition, pilot, thermocouple and thermostat. If the flame goes out, gas are cutted off. Removable fat container.

HOTMAX 700 WR721-S | GAS WOK COOKER

Dimension: 800x700x290
Gross (kg) / (m³): 47 / 0.25
Total Power (W): 2x16000
Gas Consumption (LPG): 1.88 kg/h
Description: Gas, Body, paneling made of stainless steel. LP or natural gas
Each gas burner provides heat economy, operating independently from each other. Burners with pilot, safety valve and thermocouple. If the flame goes out, gas is cut off.

HOTMAX 700 | FRY TOP GG721SG-S

Dimension: 800x700x290
Gross (kg) / (m³): 91 / 0.35
Total Power (W): 2x6000
Gas Consumption (LPG): 0.94 kg/h
Description: Gas • 1/2 Smooth, 1/2 Grooved surface Uncoated surface. Body, panelling made of stainless steel.
Operable with LP or natural gas.Controlled by thermostat. Burner with ignition, pilot, thermocouple and thermostat.
If the flame goes out, gas is cut off.
Removable fat container.

HOTMAX 900 GG921G - FRY TOP

Dimension: 850x900x900
Gross (kg) / (m³): 145 / 0.97
Total Power (W): 2×7500
Gas Consumption (LPG): 1.18 kg/h
Description: Gas • Grooved surface Mirror finishing • Chrome coated Body, panelling made of stainless steel.
Operable with LP or natural gas. Controlled by thermostat. Burner with ignition, pilot, thermocouple and thermostat. If the flame goes out, gas are cutted off. Removable fat container.

HOTMAX 700 GAS VAPOR GRILL | GW711-S

Dimension: 400x700x290
Gross (kg) / (m³): 60 / 0.18
Total Power (W): 6000
Gas Consumption (LPG): 0.47 kg/h
Description: Gas, Body, panelling made of stainless steel. Operable with LP or natural gas. Controlled by thermostat. Burner with ignition, pilot, thermocouple and thermostat. If the flame goes out, gas are cutted off. Removable fat container.

HOTMAX 600 PASTA COOKER | EMH604

Dimension: 400x600x265
Gross (kg) / (m³): 91 / 0.35
Total Power (W): 1x3000
Basket: 145x200x170
Energy: 220V / 50Hz
Description: Electric. Body paneling baskets and wells made of stainless steel. Controlled by thermostat. Safety thermostat

HOTMAX 700 CHIPS SCUTTLE | EPC711-S

Dimension: 400x700x290
Capacity: 1x28
Gross (kg) / (m³): 30 / 0.21
Total Power (W): 650/350
Energy: 220V 50Hz
Description: Made of stainless steel. Heated with ceramic heating element Container 1/1 GN.

HOTMAX 700 GAS VAPOR GRILL | GW711-S

Dimension: 400x700x290
Gross (kg) / (m³): 60 / 0.18
Total Power (W): 6000
Gas Consumption (LPG): 0.47 kg/h
Description: Gas, Body, panelling made of stainless steel. Operable with LP or natural gas. Controlled by thermostat. Burner with ignition, pilot, thermocouple and thermostat. If the flame goes out, gas are cutted off. Removable fat container.

FRYERS

STAINLESS STEEL SINGLE BASKET FRYER TABLE TOP WITH TAP

Size:310*480*360mm
Voltage:220V/50Hz
Power:3.25kW
Temp:50-200°C
Comes in 50l, 28l, 19l, 13l, 8l
Both Gas and electric available

STAINLESS STEEL SINGLE BASKET FRYER TABLE TOP

Size:310*480*360mm
Voltage:220V/50Hz
Power:3.25kW
Temp:50-200°C
Comes in 50l, 28l, 19l

STAINLESS STEEL SINGLE BASKET FRYER ON STAND

Size:310*480*360mm
Voltage:220V/50Hz
Power:3.25kWTemp:50-200°C
Comes in 50l, 28l, 19l

FRYERS

STAINLESS STEEL DOUBLE BASKET FRYER TABLE TOP WITH TAP

Size: 540 x 640 x 880mm (+150), 2 Tank
Volt:420V/50Hz/three phase
Power:8+8kW
Temp:50-200°C
Comes in 50l, 28l, 19l, 13l, 8l
Both Gas and electric available

STAINLESS STEEL DOUBLE BASKET FRYER TABLE TOP

Size: 540 x 640 x 880mm (+150), 2 Tank
Volt:420V/50Hz/three phase
Power:8+8kW
Temp:50-200°C
Comes in 50l, 28l, 19l, 13l, 8l
Both Gas and electric available

STAINLESS STEEL DOUBLE BASKET FRYER ON STAND

Size: 540 x 640 x 880mm (+150), 2 Tank
Volt:420V/50Hz/three phase
Power:8+8kW
Temp:50-200°C
Comes in 50l, 28l, 19l, 13l, 8l
Both Gas and electric available

ELECTRIC GRIDDLE ON STAINLESS STEEL STAND

Model: LD822A

Capacity 13L

Gas source LPG

GAS GRIDDLE ON STAINLESS STEEL STAND

Model: AS-722

Description: Counter Top 2 burners Gas Griddle 1/3 Grooved

Dimension: 730*530*340 mm

Source: LPG

N.W 24.5 kg

Comes with 3 burner 1/3 Grooved

Dimension: 900*630*400 mm

LAVA GRILL GAS ON STAND

Model: AS-589

Description: Counter Top Gas Lava Rock Grill 2 Burner

Dimension: 600*650*480mm

- LPG/LNG is optional
- Comes with a stand

SALAMANDER GRILL ELECTRIC

Description: Electric Lift Salamander
Dimension: 800*460*505 mm ZH-800.LS
Voltage:220V/50HZ/Single phase
Power: 6kW

SHAWARMA MACHINES

GAS SHAWARMA MACHINE WITH 3 BURNERS

Description: Gas Kebab Machine (3 burners) With oil pan
Size: 540*630*800mm
Source: LPG
BTU: 52545

- With motor on the bottom of the machine so the meat can be turned around.
- For 10-15 kg meat.
- Accidental flame out protection device

GAS SHAWARMA MACHINE WITH 4 BURNERS

Model: ASGB-950
Description: Gas Kebab Machine (4 burners)
Size: 580*630*950mm
N.W.: 27KGS

- With oil pan and accidental flame out protection device
- With motor on the bottom of the machine so the meat can be turned around.
- For 15-20 kg meat.

REFREGIRATORS

STAINLESS STEEL UNDER COUNTER FRIDGE WITH GLASS DOOR

Model no SSP-UC-712

- Size: 1200*700*800mm,
- Size: 1500*700*800mm,
- Size: 1800*700*800mm

- Internal capacity: 7 Cubic ft (200Lits)SS
- Internal capacity 9 Cubic Ft (260Lits)SS
- Internal capacity 12 Cubic Ft (340Lits) SS

Material" SUS201
Temperature: 10~-5°C
Voltage: 220V/50HZ

- With glass door
- Digital controller
- Self-closing door

STAINLESS STEEL UNDER COUNTER FRIDGE WITH STAINLESS STEEL DOOR

- Size: 1200*700*800mm,
- Size: 1500*700*800mm

- Internal capacity: 7 Cubic ft (200Lits)SS
- Internal capacity: 9 Cubic Ft (260Lits)SS

Material: SUS201
Cooling temperature: 10~-5°C
Voltage: 220V/50HZ

- Digital controller
- Self-closing door Static
- With Stainless Steel door

STAINLESS STEEL SINGLE DOOR REACH-IN REFRIGERATOR FAN ASSISTED

Size :620*760*1970M, 620*760*1970MM SS
Material: SUS201
Temperature: 10~-5°C
Voltage: 220V/50HZ
With glass door
Self-closing door
Digital controller

REFREGIRATORS

STAINLESS STEEL DOUBLE DOOR REACH-IN REFRIGERATOR WITH GLASS DOOR FAN ASSITED

Size: 1220*760*1970mm SS
Material: SUS201
Temperature: 10~-5°C
Voltage: 220V/50HZ

- Self-closing door Fan
- digital controller
- With glass door

STAINLESS STEEL SOLID DOOR REACH-IN COMBINED FREEZER / REFRIGERATOR

Description: Stainless Steel 4 door Freezer / Refrigerator
Size: 1200*700*1950mm SS
Temperature: Refregerator : 10~0, Freezer : 0~-15°C
Voltage: 220V/50HZ

- Material: SUS201
- Digital controller
- Static cooling

STAINLESS STEEL 2 DOOR SINGLE DOOR REACH-IN REFRIGERATOR

Description: Stainless Steel Refrigerator
Size: 620*730*1950mm SS
Material: SUS201
Voltage: 220V/50HZ
Temperature: 0~-15°C

- Digital controller
- Static cooling

DISPLAYS UNITS

MEAT DISPLAY SHOWCASE

Description: Meat display counter

- Size: 1200*1050*1200mm, 1500*1050*1200mm

Refrigerant: R290 -Static cooling system
Temperature: 8~2°C
Voltage: 220V/50HZ

ELECTRIC STAINLESS STEEL WARMING SHOWCASE

Description: Electric Stainless steel warming showcase
Size: 600x490x615mm, 900x490x615mm
Voltage / power: 220V/50Hz/1.84KW
Temperature: 50-85 °C

- 2 Good display effect
- Curved
- Glass Warming Showcase

TABLE TOP HEATED DISPLAY UNIT

Type: Straight type
Size: 900*580*730mm
Base: stainless steel
Temperature: 30~70°C
Voltage: 220V/50HZ

- Digital controller

DISPLAYS UNITS

FREE STANDING HEATED SHOWCASE

Type: Straight type
Size: 900*670*1200mm
Base: marble
Temperature: 30~70°C -Digital controller
Voltage: 220V/50HZ

GLASS TOP FREEZER DISPLAY UNIT

Model: SD/SC-360
Static cooling system
Copper tube
Temperature: 0~-18°C
Volume: 360L
R290 220V/50HZ

- Size: 1434×684×870mm
- Size: 1650*700*870mm

STAINLESS STEEL HEATED DISPLAY CABINET

Model: AR60-1
Description: Electric Stainless steel warming showcase
Size: 660x490x615mm
Voltage /power: 220V/50Hz/1.84KW
Temperature: 50-85 °C

- Good display effect, Curved Glass showcase
- Temperature controller from 50-85 °C
- There are three layers to display and four sides with glass

DISPLAYS UNITS

STAINLESS STEEL REFREGERATED SALAD / PIZZA TOPPING COUNTERS

Size: 1130 x 404 x450mm With 4 GN Containers of 1/3GN

Size: 1480x404×450mm With 6 GN Containers of 1/3GN

Size: 1830x404×451mm With 8 GN Containers of 1/3GN

GLASS TOP FREEZER DISPLAY UNIT

Model: SD/SC-360
Size: 1434×684×870mm -Copper tube
Temperature: 0~-18°C -Static cooling system
Volume: 360L
Voltage: 220V/50HZ

FOOD WARMER

Arc Food warmer
Voltage:220V/50Hz
Power:0.85kW
Temperature:30-85°C
Size:355*425*485mm
Size:665*500*620mm
Size:960*460*620mm

TABLE TOP BAIN MARIE

Model: ABM-25
Size 520*195*545mm

POTATO MACHINES

MANUAL POTATO CHIPS CUTTER

Model no AS-ST04
Description: Manual potato chips cutter machine
Size: 170*228*150mm
Material: Stainless steel
N.W 4KG

POTATO PEELER 15KG CHARGE 200KGS PER HOUR

Model: TP15
Description: 8KG Potato Peeler
Dimension:430*440*720 mm
Voltage：220V/50Hz,single phase
Power：0.75KW
Capacity：8KG/Timer
Production Capacity:240KG/H

- Suitable for potato, taro, sweet potato, water chestnut and so on

POTATO PEELER 15KG CHARGE - 400KGS PER HOUR

Model: TP15
Description: 15KG Potato Peeler
Dimension：520*495*79 0mm
Voltage：220V/50Hz,single phase
Power：1.1KW
Capacity：15KG/Timer
Production Capacity:400KG/H

- Suitable for potato, taro, sweet potato, water chestnut and so on

ELECTRIC POTATO CHIPS CUTTER MACHINE

Description: Electrice potato chips cutter machine
Size:620*165*270mm
Voltage: 220~240V/50Hz
Power: 40W
Capacity:100kg/H
Material: 201SS
N.W:7.95KG

- With 3 Blades: 14X14MM,10X10MM,7X7 MM

ICE MACHINES

ICE CRUSHER

Model : SSP-IC-01
Type: Automatic, Double cut
Size: 400*180*310mm
Power: 380W
Capacity: 65kg/h
Rotor speed: 220rpm
Material: ABS + Aluminum
Voltage: 220V/50HZ

ICE MAKING MACHINES

type: Stainless Steel Commercial Ice Cube Machine
Capacity: 45KG
Size: 405*450*750mm
Capacity: 45kg/day
Ice storage: 12kg
Power: 320W
Voltage: 220V/50HZ

ICE MAKING MACHINE

Type: Stainless Steel Commercial Ice Cube Machine
Capacity: 80KG
Size: 510*590*820mm
Capacity: 80kg/day
Ice storage: 15kg
Power: 510W
Voltage: 220V/50HZ

MILL MACHINES

COMMERCIAL HEAVY DUTY MILL GRINDING MACHINE 400 GRAM

Size:16*16*37mm
Voltage:220-240V/50Hz
Power:1800W
Capacity:400g
Rotation Spead:25000r/min

COMMERCIAL HEAVY DUTY MILL GRINDING MACHINE 1500 GRAMS

Size:260*225*388mm
Voltage:220-240V/50Hz
Power:3500W
Capacity:1500g
Rotation Spead:25000r/min



COMMERCIAL HEAVY DUTY GRAIN GRINDER MACHINE 3 LITRES

Size:715x380x380mm
Voltage:220-240V/50Hz
Power:3000W
Capacity:50-60kg/H
Fineness:50~200m
Rotation Speed:1500r/min

VEGETABLE MACHINES

VEGETABLE PREPARATION MACHINE

Model: AS-QC205A
Type: Vegetable cutter
Dimension: 590*265*540mm
Voltage: 220V,50Hz,single phase
Power: 1KW
Blades: 5 pcs (Dice 8*8mm, shred 3mm, slice 4.5mm/2mm)
Diameter of blade: 205mm (All copper wire motor)

COMMERCIAL HEAVY DUTY VEGETABLE CHOPPER MACHINE 3 LITRES

Type: Vegetable Chopper
Voltage:220-240V/50Hz
Power:750W
Capacity:3L
Blade Speed:1400

MEAT SLICER

Model: B300B-4
Description: 12 Inch Semi-automatic Meat Slicer
Size:590*525*440mm
Voltage:AC-220V/ 50Hz
Power:270W
Blade Diameter:300mm
N.W/G.W:27kg/30kg
Packing Size: 635x535x525mm

- adjust slicer thickness from 0-17mm
- cut off the itinerary :220mm

MEAT MINCER NO: 12

Model: 12
Description: Electric Meat Mincer
Power:1100w
Capacity:220kg/h
Net weight:30kg Gross

TABLE TOP SOFT ICE CREAM MACHINE

Model: ASMQ-L20ABN

Description: Table Top Stainless Steel 3 Head Soft Ice Cream Machine

Dimension: 544*710*850 mm

Voltage :220V/50Hz

Power: 1900W

Refrigerant: R22

Yield: 20L/H

N.W: 88KG

STOCK POTS

TABLE TOHEAVY DUTY GAS STOCK POT COOKER - 2 RING RUNDER

Type: 2 ring Burner
Size: 300mm x 300mm x 250mm
Burner diameter 180mm

HEAVY DUTY GAS STOCK POT COOKER - 3 RING RUNDER

Type: 3 ring Burner
Size: 400mm x 400mm x 250mm
Burner diameter: 220mm

HEAVY DUTY GAS STOCK POT COOKER - 4 RING RUNDER

Type: 4 ring Burner
Size: 500mm x 500mm x 250mm
Burner diameter: 340mm

GASTRONOM PANS

Steam PanFull: x150 SIZE: 530×325×150mm 1/1
Steam PanFull: x100 GN Full x100
Steam PanFull: x65 GN Full x65
Steam PanFull: Xlid GN Full xLID
Steam Pan: 1/2 x150 GN 1/2 x150
Steam Pan: 1/2 x100 GN 1/2 x100
Steam Pan: 1/2 x65 GN 1/2 x65
Steam Pan: 1/2 xLID GN 1/2 xLID
Steam Pan: 1/3 x150 Gastronom pans Size:325×176×150mm 1/3
Steam Pan: 1/3 x100 Gastronom pans Size:325×176×100mm 1/3
Steam Pan: 1/3 x65 Gastronom pans Size:325×176×65mm 1/3
Steam Pan: 1/3 xLID Gastronom pans Cover Size:325×176mm 1/3
Steam Pan: 1/4 x100 Gastronom pans Size:325×176×100mm

ALUMINUM OVEN TRAY

Size: 400x600x30mm

CREPE MAKER

Model: ASZH-1E
Description: Stainless steel Electric Crepe Maker, Teflon coating and non-stick material.
Power: 3KW
Dimension: 460*475*230 mm
Voltage: 220V/50Hz
Temperature controller: 50 to 300°C
Cooking plate diameter: 400 mm
N.W 16.5kg

HAMBURGER PRESS

Diameter: 100mm
Height: 160mm
N.W: 4.8KG

SOUP TUREEN

Model: ZQ-C17
Description: Electric Soup pot
Voltage: 220V 50/60Hz
Inside pot diameter: 23cm
Inside Pot Depth: 26cm
Outside Diameter: 34cm
Product height: 34cm

HOOD TYPE DISH WASHER

Description: Dish washer
Dimension: 670*780*1450mm, without working table, with 3 baskets
Voltage /Power: 380V/3 Phase/50Hz/13kw
N.W: 115kg
G.W: 130kgs

POPCORN MACHINE

Description: Popcorn Maker
Size: 540*405*660mm
Voltage: 220V/50Hz/1.3Kw
Capacity: 8Oz

- Tempered glass

KEG DISPENSER WITH COOLER

Size: 590*590*840mm
Inner size: 540*470*720mm
Material: SUS304
Weight: 40kg

- 2*20L keg+1*4L cylinder Temp control+ display R600a

PLATE WARMER DROP IN PLATE DISPENSER

Size: 400*400*770mm SS
Material: SUS201
Power: 400w
Plate size: 23-30cm
Plate quantity: 50 pcs
Top open diameter: 385mm
Voltage: 220V

COMMERCIAL CUP HOLDER

Description: Beverage cup lid divider
Size:620*205*205mm With 4
SIZE OF Cup (9.4CM,7.6CM,6.4CM 5.5CM)
Material:PP/ABS
Color:Black

MULTIFUNCTIONAL STORAGE RACK

Multifunctional storage rack

INSECTOCUTER

Type: Electric shock type -LED-10W
Size: L56*D6*H24.5cm

HEAT LAMP

Description: Heating Lamps
Diameter: 17.5CM
Voltage: 220V
Power: 250W



BAR MAT BLACK

Bar Mat Black
Color: Black
Material: PVC

Size: 45*30*1cm
Size: 60*8*1cm

STAINLESS STEEL FINISH WIRE RACK / COOLING RACKS

Description: 4 Layers Chrome Wire Shelves
Material Finish: Chrome Plated
Wire diameter: 5.8/4.3/2.8 mm
Wire spacing: 17 mm
Column: 25.4*1.0m

- Without Wheels
- Size: 1200x530x1800mm
- Size: 1500x530x1800mm

STAINLESS STEEL PRODUCTS LTD

CONTACT US

www.ssp.co.ke
@sspl.ke

+254719625495
info@ssp.co.ke